

**Sample Name: GC Select**

Client: coldcreekcompost

Sample Type: Other

Strain: Unknown

Submitted: April 30, 2018

Tested: April 30, 2018

Expires: April 27, 2019

Submitted for: Chemres,

**Chemical Residue Screening - Pass**

Targeted analysis of chemical residues. [SOP-017] | Date Performed: 2018-05-01

	ug/g	LOQ	LOD	Action Limit	Status		ug/g	LOQ	LOD	Action Limit	Status
Abamectin	ND <sup>1</sup>	0.02	0.01	0.30	Pass	Fludioxonil	ND <sup>1</sup>	0.01	0.01	30.00	Pass
Acephate	ND <sup>1</sup>	0.12	0.04	5.00	Pass	Hexythiazox	ND <sup>1</sup>	0.02	0.01	2.00	Pass
Acequinocyl	ND <sup>1</sup>	0.01	0.01	4.00	Pass	Imazalil	ND <sup>1</sup>	0.00	0.00	0.00	Pass
Acetamiprid	ND <sup>1</sup>	0.01	0.01	5.00	Pass	Imidacloprid	ND <sup>1</sup>	0.01	0.01	3.00	Pass
Aldicarb	ND <sup>1</sup>	0.02	0.01	0.00	Pass	Kresoxim-methyl	ND <sup>1</sup>	0.01	0.01	1.00	Pass
Azoxystrobin	ND <sup>1</sup>	0.01	0.01	40.00	Pass	Metalaxyl	ND <sup>1</sup>	0.00	0.00	15.00	Pass
Bifenazate	ND <sup>1</sup>	0.01	0.01	5.00	Pass	Methiocarb	ND <sup>1</sup>	0.01	0.01	0.00	Pass
Bifenthrin	ND <sup>1</sup>	0.07	0.02	0.50	Pass	Methomyl	ND <sup>1</sup>	0.01	0.01	0.10	Pass
Boscalid	ND <sup>1</sup>	0.01	0.01	10.00	Pass	Mevinphos	ND <sup>1</sup>	0.01	0.01	0.00	Pass
Captan	ND <sup>1</sup>	0.03	0.01	5.00	Pass	Myclobutanil	ND <sup>1</sup>	0.01	0.01	9.00	Pass
Carbaryl	ND <sup>1</sup>	0.01	0.01	0.50	Pass	Naled	ND <sup>1</sup>	0.02	0.01	0.50	Pass
Carbofuran	ND <sup>1</sup>	0.01	0.01	0.00	Pass	Oxamyl	ND <sup>1</sup>	0.02	0.01	0.20	Pass
Chlorantraniliprole	ND <sup>1</sup>	0.02	0.01	40.00	Pass	Paclobutrazol	ND <sup>1</sup>	0.01	0.01	0.00	Pass
Chlordane	ND <sup>1</sup>	0.05	0.02	0.00	Pass	Parathion methyl	ND <sup>1</sup>	0.06	0.02	0.00	Pass
Chlorfenapyr	ND <sup>1</sup>	0.02	0.01	0.00	Pass	PCNB	ND <sup>1</sup>	0.02	0.01	0.20	Pass
Chlorpyrifos	ND <sup>1</sup>	0.05	0.02	0.00	Pass	Permethrin	ND <sup>1</sup>	0.02	0.01	20.00	Pass
Clofentezine	ND <sup>1</sup>	0.02	0.01	0.50	Pass	Phosmet	ND <sup>1</sup>	0.01	0.01	0.20	Pass
Coumaphos	ND <sup>1</sup>	0.02	0.01	0.00	Pass	Piperonyl butoxide	ND <sup>1</sup>	0.01	0.01	8.00	Pass
Cyfluthrin	ND <sup>1</sup>	0.05	0.02	1.00	Pass	Prallethrin	ND <sup>1</sup>	0.03	0.01	0.40	Pass
Cypermethrin	ND <sup>1</sup>	0.04	0.01	1.00	Pass	Propiconazole	ND <sup>1</sup>	0.01	0.01	20.00	Pass
Daminozide	ND <sup>1</sup>	0.02	0.01	0.00	Pass	Propoxure	ND <sup>1</sup>	0.01	0.01	0.00	Pass
Diazinon	ND <sup>1</sup>	0.01	0.01	0.20	Pass	Pyrethrin	ND <sup>1</sup>	0.04	0.01	1.00	Pass
Dichlorvos	ND <sup>1</sup>	0.01	0.01	0.00	Pass	Pyridaben	ND <sup>1</sup>	0.00	0.00	3.00	Pass
Dimethoate	ND <sup>1</sup>	0.02	0.01	0.00	Pass	Spinetoram	ND <sup>1</sup>	0.01	0.01	3.00	Pass
Dimethomorph	ND <sup>1</sup>	0.01	0.01	20.00	Pass	Spinosad	ND <sup>1</sup>	0.01	0.01	3.00	Pass
Ethoprophos	ND <sup>1</sup>	0.02	0.01	0.00	Pass	Spiromesifen	ND <sup>1</sup>	0.03	0.01	12.00	Pass
Etofenprox	ND <sup>1</sup>	0.01	0.01	0.00	Pass	Spirotetramat	ND <sup>1</sup>	0.01	0.01	13.00	Pass
Etoxazole	ND <sup>1</sup>	0.01	0.01	1.50	Pass	Spiroxamine	ND <sup>1</sup>	0.01	0.01	0.00	Pass
Fenhexamid	ND <sup>1</sup>	0.01	0.01	10.00	Pass	Tebuconazole	ND <sup>1</sup>	0.03	0.01	2.00	Pass
Fenoxycarb	ND <sup>1</sup>	0.01	0.01	0.00	Pass	Thiacloprid	ND <sup>1</sup>	0.01	0.01	0.00	Pass
Fenpyroximate	ND <sup>1</sup>	0.01	0.01	2.00	Pass	Thiamethoxam	ND <sup>1</sup>	0.01	0.01	4.50	Pass
Fipronil	ND <sup>1</sup>	0.02	0.01	0.00	Pass	Trifloxystrobin	ND <sup>1</sup>	0.01	0.01	30.00	Pass
Flonicamid	ND <sup>1</sup>	0.02	0.01	0.20	Pass						

\*ND = Not Detected  
NT = Not Tested

CW uses its best efforts to deliver high quality results and to verify that the data contained therein are based on sound scientific judgement. However, CW makes no warranties or claims to that effect and further shall not be liable for any damage or misrepresentation that may result from the use or misuse of these data in any way. Further, CW makes no claims regarding the representativeness of the analyzed sample to the larger batch from which it was taken. As part of our strict confidentiality policy, CW can only discuss results with the original client of record. Comments? lab@cwanalytical.com

// CWLIMS v2.0 // Printed: May 17, 2018 [Page 2 of 2]



This sample was tested by CW Analytical Laboratories.  
Results are valid through the expiration date indicated.

*Robert W Martin*  
Robert W Martin, PhD